ENC 高精密起子头

高硬度钢 + 型号齐全 + 可以根据需要定做特殊型号或长度

+ 全世界通用 = 良好性能




1/4"=6.	35mm	+	+		型号	P×L
					PDH645001A	1 × 45H
					PDH675001A	1×75H
					PDH6100001A	1 × 100H
					PDH6150001A	1 × 150H
<u></u>				•	PDH645002A	2×45H
					PDH675002A	2×75H
			P		PDH675003A	2×75G
				5 7	PDH675004A	2×75E
					PDH6100002A	2×100H
					PDH6100002A	2×100G
		L			PDH6100003A	2×100G
	-	L .	-			
			- 1		PDH6150002A	2 × 150G
					PDH6200001A	2×200G
					PDH6300001A	2×300H
1/4"=6.	35mm	+			型号	$P \times D \times L$
				The second secon	PSH650001	00 × 1.5 × 50H
					PSH650001	
						0 × 3.0 × 50H
					PSH650003	1 × 4.5 × 50H
					PSH650004	2 × 4.5 × 50G
					PSH650005	2×6.0×50E
			σ		PSH675001	0 × 3.0 × 75G
					PSH675002	$1 \times 4.5 \times 75G$
					PSH675003	$2 \times 4.5 \times 75G$
				· •	PSH675004	2 × 6.0 × 75E
					PSH675005	3×6.0×75E
					PSH6100001	$1 \times 4.5 \times 100G$
					PSH6100002	2 × 4.5 × 100G
					PSH6100003	2 × 6.0 × 100E
		1			PSH6100004	3×6.0×100E
	_	L			PSH6150001	1 × 4.5 × 150G
	1-				PSH6150002	2×4.5×150G
					PSH6150003	2 × 4.5 × 150G
					PSH6200001	2×6.0×200E
					. 5.16255551	2 × 0.0 × 2002
1/4"=6.	35mm				型号	H×L
					PXH665001A	2×65H
					PXH665002A	2.5 × 65H
					PXH665003A	3×65H
					PXH665004A	4×65H
					PXH665005A	5 × 65G
					PXH665006A	6 × 65G
				Н	FAH005000A	6 x 65G
	_	L				
			-			
1/4"=6.	35mm				型号	$A/F \times D \times d \times L$
					PNH6T001	1/4 × 7/16 × 2-9/16"
					PNH6T002	5/16 × 1/2 × 2-9/16"
					PNH6T003	3/8 × 9/16 × 2–9/16"
		р	٥		PNH6T004	$7/16 \times 5/8 \times 2 - 9/16$ "
		5			PNH665001	5 × 8.5 × 25 × 65
					PNH665002	5.5 × 9 × 25 × 65
					PNH665003	6 × 10 × 25 × 65
			T		PNH665004	7 × 13 × 25 × 65
			1			
					PNH665005	8 × 13 × 30 × 65
					PNH665006	9 × 14 × 30 × 65
			*		PNH665007	10 × 16 × 30 × 65
				A/F	PNH665008	11 × 17 × 30 × 65
		L	_	-	PNH665009	$12 \times 18 \times 30 \times 65$
	-		-		PNH665010	$13 \times 19 \times 30 \times 65$
					PNH665011	$14 \times 20 \times 30 \times 65$

ENC 高精密起子头

高硬度钢 + 型号齐全 + 可以根据需要定做特殊型号或长度

+ 全世界通用 = 良好性能





ENC 高精密起子头

高硬度钢 + 型号齐全 + 可以根据需要定做特殊型号或长度

+ 全世界通用 = 良好性能



